Author Index

Abebe, G., see Knowles, G., 25

Affranchino, J.L., Ibañez, C.F., Luquetti, A.O., Rassi, A., Reyes, M.B., Macina, R.A., Åslund, L., Pettersson, U. and Frasch, A.C.C.

Identification of a *Trypanosoma cruzi* antigen that is shed during the acute phase of Chagas' disease, 221

Agabian, N., see Barnes, D.A., 135

Alvar, J., see Van Eys, G.J.J.M., 53

Ambrosio, R.E., see Posnett, E.S., 75

Anders, R.F., see Sheppard, M., 45

Araujo, F.G., see Prince, J.B., 3

Åslund, L., see Affranchino, J.L., 221 Avivi, A., see Ram, D., 167

Barnes, D.A., Mottram, J., Selkirk, M. and Agabian, N. Two variant surface glycoprotein genes distinguish between different substrains of *Trypanosoma brucei gambiense*, 135

Beaven, G.H., see Rangachari, K., 63

Beecroft, R.P., see Roditi, I., 35

Beverley, S.M., see Iovannisci, D.M., 177

Bianco, A.E., see Bradley, J.E., 197

Black, S.J., see Knowles, G., 25

Boothroyd, J.C., see Prince, J.B., 3

Bradley, J.E., Gregory, W.F., Bianco, A.E. and Maizels, R.M.

Biochemical and immunochemical characterisation of a 20kilodalton complex of surface-associated antigens from adult Onchocerca gutturosa filarial nematodes, 197

Brindley, P.J., Strand, M., Norden, A.P. and Sher, A. Role of host antibody in the chemotherapeutic action of praziquantel against Schistosoma mansoni: identification of target antigens, 99

Brown, D., see Shiels, B., 209 Burg, J.L., see Prince, J.B., 3

Chang, K.-P., see Katakura, K., 189 Christopherson, R.I., see Gero, A.M., 87

Clark, C.G., Cross, G.A.M. and De Jonckheere, J.F.

Evaluation of evolutionary divergence in the genus Naegleria by analysis of ribosomal DNA plasmid restriction patterns, 281

Clark, J.T., see Fenton, B., 79

Clough, B., see Rangachari, K., 63

Crampton, J., see Ellis, J., 261

Cross, G.A.M., see Clark, C.G., 281

Cruz, F.S., see Gadelha, F.R., 117

De Jonckheere, J.F., see Clark, C.G., 281

De Souza, W., see Gadelha, F.R., 117

Dluzewski, A.R., see Rangachari, K., 63

Dobbelaere, D., see Roditi, I., 35

Dobbelaere, D.A.E., see Gerhards, J., 15

Docampo, R., see Gadelha, F.R., 117

Eckerskorn, C., see Heidrich, H-G., 147

Ehrefeld, A.Y.B., see Gerhards, J., 15

Ellis, J., Knapp, T. and Crampton, J.

Cloning of a polymorphic DNA fragment from the genome of Leishmania donovani, 261

Esquenazi, D., Morel, C.M. and Traub-Cseko, Y.M. Characterization of tubulin genes in *Trypanosoma rangeli*,

Evans, D.A., see Van Eys, G.J.J.M., 53

Fenton, B., Clark, J.T., Wilson, C.F., McBride, J.S. and Walliker, D.

Polymorphism of a 35-49 kDa *Plasmodium falciparum* merozoite surface antigen, 79

Frasch, A.C.C., see Affranchino, J.L., 221

Gadelha, F.R., Moreno, S.N.J., De Souza, W., Cruz, F.S. and Docampo, R.

The mitochondrion of *Trypanosoma cruzi* is a target of crystal violet toxicity, 117

Galindo, I. and Ramírez Ochoa, J.L.

Study of Leishmania mexicana electrokaryotype by clamped homogeneous electric field electrophoresis, 245

Gerhards, J., Gill, A.C., Ehrefeld, A.Y.B., Dobbelaere, D.A.E. and Williams, R.O.

Isolation and characterization of RNA from the intracellular parasite *Theileria parva*, 15

Gero, A.M., Scott, H.V., O'Sullivan, W.J. and Christopherson, R.I.

Antimalarial action of nitrobenzylthioinosine in combination with purine nucleoside antimetabolites, 87

Gill, A.C., see Gerhards, J., 15

Glascodine, J., see Shiels, B., 209

Gratzer, W.B., see Rangachari, K., 63

Gregory, W.F., see Bradley, J.E., 197

Grossman, Z., see Ram, D., 167

Gwo-Shu Lee, M. and Van der Ploeg, L.H.T.
Colonies of procyclic Trypanosoma brucei on semi-solid agarose plates (Short Communication), 193

Hall, R., see Shiels, B., 209

Harrison, C., see Shiels, B., 209

Harun, S., see Sim, B.K.L., 127

Heidrich, H.-G., Miettinen-Baumann, A., Eckerskorn, C. and Lottspeich, F.

The N-terminal amino acid sequences of the *Plasmodium* falciparum (FCB1) merozoite surface antigens of 42 and 36 kilodalton, both derived from the 185-195 kilodalton precursor, 147

Hughes, D.E., Shonekan, O.A. and Simpson, L.

Structure, genomic organization and transcription of the bifunctional dihydrofolate reductase-thymidylate synthase gene from Crithidia fasciculata, 155

Ibañez, C.F., see Affranchino, J.L., 221

Iovannisci, D.M. and Beverley, S.M.

Structural alterations of chromosome 2 in *Leishmania ma*jor as evidence for diploidy, including spontaneous amplification of the mini-exon array, 177

Katakura, K. and Chang, K.-P.

H DNA amplification in Leishmania resistant to both arsenite and methotrexate (Short Communication), 189

Kemp, D.J., see Sheppard, M., 45

Kiatfuengfoo, R., Suthiphongchai, T., Prapunwattana, P. and Yuthavong, Y.

Mitochondria as the site of action of tetracycline on Plasmodium falciparum, 109

Knapp, T., see Ellis, J., 261

Knowles, G., Abebe, G. and Black, S.J.

Detection of parasite peptidase in the plasma of heifers infected with *Trypanosoma congolense*, 25

Kusel, J.R., see MacGregor, A.N., 237

Lantner, F., see Ram, D., 167 Le Page, R.W.F., see Sternberg, J., 269 Lew, A.M., see Sheppard, M., 45 Ligthart, G.S., see Van Eys, G.J.J.M., 53 Lottspeich, F., see Heidrich, H.-G., 147 Luquetti, A.O., see Affranchino, J.L., 221

MacGregor, A.N. and Kusel, J.R. Isolation and characterisation of a surface membrane glycoprotein from adult Schistosoma mansoni, 237

Macina, R.A., see Affranchino, J.L., 221 Maizels, R.M., see Bradley, J.E., 197 Markovics, A., see Ram, D., 167

Masterson, W., see Roditi, I., 35 McBride, J.S., see Fenton, B., 79

McDougall, C., see Shiels, B., 209

Miettinen-Baumann, A., see Heidrich, H.-G., 147

Morel, C.M., see Esquenazi, D., 253

Moreno, S.N.J., see Gadelha, F.R., 117 Mottram, J., see Barnes, D.A., 135

Murray, M.C. and Perkins, M.E.

Phosphorylation of erythrocyte membrane and cytoskeleton proteins in cells infected with *Plasmodium falciparum*, 229

Myint-Oo, see Rangachari, K., 63

Nash, G.B., see Rangachari, K., 63 Norden, A.P., see Brindley, P.J., 99

O'Sullivan, W.J., see Gero, A.M., 87

Pearson, T.W., see Roditi, I., 35 Perkins, M.E., see Murray, M.C., 229 Pettersson, U., see Affranchino, J.L., 221 Posnett, E.S. and Ambrosio, R.E.

Repetitive DNA probes for the detection of Babesia equi,

Prapunwattana, P., see Kiatfuengfoo, R., 109

Prince, J.B., Araujo, F.G., Remington, J.S., Burg, J.L., Boothroyd, J.C. and Sharma, S.D. Cloning of cDNAs encoding a 28 kilodalton antigen of Toxoplasma gondii, 3

Ram, D., Grossman, Z., Markovics, A., Avivi, A., Ziv, E., Lantner, F. and Schechter, I. Rapid changes in the expression of a gene encoding a calcium-binding protein in *Schistosoma mansoni*, 167

Ramírez Ochoa, J.L., see Galindo, I., 245

Ranford-Cartwright, L.C., see Sternberg, J., 269Rangachari, K., Beaven, G.H., Nash, G.B., Clough, B.,Dluzewski, A.R., Myint-Oo, Wilson, R.J.M. and Gratzer,W B

A study of red cell membrane properties in relation to malarial invasion, 63

Rassi, A., see Affranchino, J.L., 221 Remington, J.S., see Prince, J.B., 3

Reyes, M.B., see Affranchino, J.L., 221

Richardson, J.P., see Roditi, I., 35

Roditi, I., Dobbelaere, D., Williams, R.O., Masterson, W., Beecroft, R.P., Richardson, J.P. and Pearson, T.W. Expression of *Trypanosoma brucei* procyclin as a fusion protein in *Escherichia coli*, 35

Romans, P., see Sim, B.K.L., 127

Schechter, I., see Ram, D., 167

Schoone, G.J., see Van Eys, G.J.J.M., 53

Scott, H.V., see Gero, A.M., 87

Selkirk, M., see Barnes, D.A., 135

Sharma, S.D., see Prince, J.B., 3

Sheppard, M., Thompson, J.K., Anders, R.F., Kemp, D.J. and Lew, A.M.

Molecular karyotyping of the rodent malarias *Plasmodium* chabaudi, *Plasmodium berghei* and *Plasmodium vinckei*, 45 Sher, A., see Brindley, P.J., 99

Shiels, B., Hall, R., Glascodine, J., McDougall, C., Harrison, C., Taracha, E., Brown, D. and Tait, A.

Characterization of surface polypeptides on different lifecycle stages of Theileria annulata, 209

Shonekan, O.A., see Hughes, D.E., 155 Sim, B.K.L., Romans, P. and Harun, S.

Use of chitinase to facilitate detection of protozoan, helminth and single copy genes in squashed whole mosquitoes, 127

Simpson, L., see Hughes, D.E., 155

Sternberg, J., Turner, C.M.R., Wells, J.M., Ranford-Cartwright, L.C., Le Page, R.W.F. and Tait, A.

Gene exchange in African trypanosomes: frequency and allelic segregation, 269

Strand, M., see Brindley, P.J., 99

Suthiphongchai, T., see Kiatfuengfoo, R., 109

Tait, A., see Shiels, B., 209
Tait, A., see Sternberg, J., 269
Taracha, E., see Shiels, B., 209
Terpstra, W.J., see Van Eys, G.J.J.M., 53
Thompson, J.K., see Sheppard, M., 45
Traub-Cseko, Y.M., see Esquenazi, D., 253
Turner, C.M.R., see Sternberg, J., 269

Van Eys, G.J.J.M., Schoone, G.J., Ligthart, G.S., Alvar, Evans, D.A. and Terpstra, W.J. Identification of 'Old World' *Leishmania* by DNA recombinant probes, 53

Van der Ploeg, L.H.T., see Gwo-Shu Lee, M., 193

Walliker, D., see Fenton, B., 79
Wells, J.M., see Sternberg, J., 269
Williams, R.O., see Gerhards, J., 15
Williams, R.O., see Roditi, I., 35
Wilson, C.F., see Fenton, B., 79
Wilson, R.J.M., see Rangachari, K., 63

Yuthavong, Y., see Kiatfuengfoo, R., 109

Ziv, E., see Ram, D., 167

Subject Index

Allelic segregation, 269 Amino acid repeats, 221 Amplified DNA, 189 Antibody, 35 Antigen, 3, 99, 237 Antigenic diversity, 79 Arsenite, 189

Babesia equi, 75

Calcium-binding protein, 167 Cercaria-specific protein, 167 Chagas' disease, 221 Chemotherapy, 99 Chitinase, 127 Chromosomal variant, 177 Colony growth, 193 Crithidia fasciculata, 155 Crystal violet, 117 Cultivation, 193

Dihydrofolate reductase-thymidylate synthase, 155 Dipeptide repeat, 35 DNA content, 245 DNA probe, 75, 127 DNA sequence, 253 cDNA cloning, 3 cDNA sequence, 167 Drug resistance, 189 Drug/antibody synergy, 99

Electrokaryotype, 245
Epidemiology of Gambian sleeping sickness, 135
Equine babesiosis, 75
Erythrocyte cytoskeleton, 229
Erythrocyte membrane, 229

Filariasis, 127 Fusion protein, 35

Gene amplification, 177 Gene cloning, 221 Gene location, 245 Gene organization, 253 Gene sequence, 167 Genetic exhance, 269 Genetics, 177 Glycoprotein, 237 Glycoproteins, 79

Heifer, 25 Hybridization, 193

Identification, 53 In vitro inhibition, 87 In vitro translation, 15 Infection plasma, 25 Infection-associated glycoprotein, 209

Kinetoplast DNA, 269

Leishmania, 53, 189, 245, 261 Leishmania major, 177 Agt11, 3

Malaria, 45, 127 Merozoite surface polypeptide, 147 Methotrexate, 189 Mini-exon, 155, 177 Mitochondria, 109 Mitochondrion, 117 Molecular karyotyping, 45 Monoclonal antibody, 79, 209 Mosquito, 127

N-terminal amino acid sequence of processing fragments, 147
Naegleria spp., 281
Nitrobenzylthioinosine cell permeation, 87
Nucleoside transport, 87
Nucleoside transport, 87

Onchocerca gutturosa, 197 Onchocerciasis, 197

Parasite peptidase, 25 Peanut agglutinin, 237 Phosphorylation, 229 Plasmid, 281 Plasmodium berghei, 45 Plasmodium chabaudi, 45 Plasmodium falciparum, 79, 87, 109, 147, 229 Plasmodium falciparum invasion, 63 Plasmodium vinckei, 45 Ploidy, 177, 245, 261 Polymorphism, 261 Praziquantel, 99 Precursor, 147 Processing, 147 Procyclic form, 35 Procyclin, 35 Proteolytic cleavage site, 147

Pulsed field gradient electrophoresis, 45

Radiolabelling, 197 Recombinant DNA probe, 53 Red cell membrane rigidity, 63 Repetitive DNA, 75 Repetitive sequence, 261 Restriction fragment pattern, 281 Rhodamine 123, 109 Ribosomal RNA, 15

Pulsed-field electrophoresis, 177

Ribosomal RNA gene, 281 RNA sequence complexity, 15

Schistosoma mansoni, 167, 237 Schistosomiasis, 99 Sequence homology, 253 Shed antigen, 221 Southern blotting, 53 Sporocyst-specific mRNA, 167 Squash blot, 127 Surface antigen, 197 Surface membrane, 237 Surface polypeptide, 209

Tandem repeat, 253
Taxonomy, 281
Telomeres, 261
Temporal and geographical stability of VSG genes in *Trypanosoma brucei gambiense*, 135

Tetracycline, 109
Theileria annulata, 209
Theileria parva, 15
Toxoplasma gondii, 3
Trans-splicing, 155
Trypanosoma brucei, 193, 269
Trypanosoma brucei gambiense VSG genes, 135
Trypanosoma congolense, 25
Trypanosoma cruzi, 117, 221
Trypanosoma rangeli, 253
Trypanosome, 35
Trypanosome diagnosis and pathology, 25
Tubercidin, 87
Tubulin, 253
Two-dimensional electrophoresis, 79

Uncoupler, 117

